



Test Report

Page No. 1/2

Sample Number : VEL/WZ/01

Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.
49th Km Stone, Khasra No. 122, Mathura Road, Village
- Prithla, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/WZ/2306240001

Format No : 7.8 F-03

Party Reference No : By Mail

Reporting Date : 30/06/2023

Period of Analysis : 24/06/2023-30/06/2023

Receipt Date : 24/06/2023

Sample Description : Workzone Air Monitoring

General Information

Sampling Location : Sledge Area
 Sample Collected By : VEL Representative (Mr. Sher Singh)
 Sampling Equipment used : Handy Sampler
 Instrument Code : VEL/HS/01
 Instrument Calibration Status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 22/06/2023
 Time of Monitoring : 01:00 PM to 09:00 PM
 Ambient Temperature (°C) : Min.30°C, Max.44°C
 Surrounding Activity : Human & Others Activities
 Scope of Monitoring : Regulatory Requirement
 Sampling & Analysis Protocol : IS : 5182
 Sampling Duration : 480.0 Min.
 Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Unit	Limits
1	Suspended Particulate Matter (as SPM)	VEL/ENV/STP/154, Issue No.-01,dated on 20/06/2022.	0.96	mg/m ³	15.0 as per OSHA
2	Sulphur Dioxide (as SO ₂)	VEL/ENV/STP/153, Issue No.-01,dated on 20/06/2022.	0.015	mg/m ³	5.0 as Per Factories Act 1948
3	Nitrogen Dioxide (as NO ₂)	VEL/ENV/STP/151, Issue No.-01,dated on 20/06/2022	0.037	mg/m ³	6.0 as Per Factories Act 1948
4	Carbon Monoxide (as CO)	VEL/ENV/STP/115, Issue No.- 01, Issue date 01/11/2021	1.89	mg/m ³	55 as Per Factories Act 1948
5	Xylene	VEL/ENV/STP/111, Issue No.- 01, Issue date 01/11/2021.	BLQ(LOQ-0.5)	mg/m ³	435 as Per Factories Act 1948
6	Toluene	VEL/ENV/STP/111, Issue No.- 01, Issue	BLQ(LOQ-0.5)	mg/m ³	375 as Per

(Checked By)

30/06/2023

(Approved By)

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number : VEL/WZ/01

Report No. : VEL/WZ/2306240001

S.No.	Test Parameters	Test Method	Results	Unit	Limits
6		date 01/11/2021.			Factories Act 1948
7	Ozone (as O3)	VEL/ENV/STP/152, Issue No.- 01, Issue date 01/11/2021.	BLQ(LOQ-2.0)	mg/m3	0.2 as per Factories Act, 1948

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

End of Report

(Checked By)

(Approved By)

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Page No. 1/2

Sample Number : VEL/WZ/02

Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.
49th Km Stone, Khasra No. 122, Mathura Road, Village
- Prithla, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/WZ/2306240002

Format No : 7.8 F-03

Party Reference No : By Mail

Reporting Date : 30/06/2023

Period of Analysis : 24/06/2023-30/06/2023

Receipt Date : 24/06/2023

Sample Description : Workzone Air Monitoring

General Information

Sampling Location : Dispatch Area

Sample Collected By : VEL Representative (Mr. Sher Singh)

Sampling Equipment used : Handy Sampler

Instrument Code : VEL/HS/02

Instrument Calibration Status : Calibrated

Meteorological condition during monitoring : Clear Sky

Date of Monitoring : 22/06/2023

Time of Monitoring : 01:30 PM to 09:30 PM

Ambient Temperature (°C) : Min.30°C, Max.44°C

Surrounding Activity : Human & Others Activities

Scope of Monitoring : Regulatory Requirement

Sampling & Analysis Protocol : IS : 5182

Sampling Duration : 480.0

Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Unit	Limits
1	Suspended Particulate Matter (as SPM)	VEL/ENV/STP/154, Issue No.-01,dated on 20/06/2022.	0.75	mg/m ³	15.0 as per OSHA
2	Sulphur Dioxide (as SO ₂)	VEL/ENV/STP/153, Issue No.-01,dated on 20/06/2022.	0.019	mg/m ³	5.0 as Per Factories Act 1948
3	Nitrogen Dioxide (as NO ₂)	VEL/ENV/STP/151, Issue No.-01,dated on 20/06/2022	0.028	mg/m ³	6.0 as Per Factories Act 1948
4	Carbon Monoxide (as CO)	VEL/ENV/STP/115, Issue No.- 01, Issue date 01/11/2021	1.81	mg/m ³	55 as Per Factories Act 1948
5	Xylene	VEL/ENV/STP/111, Issue No.- 01, Issue date 01/11/2021.	BLQ(LOQ-0.5)	mg/m ³	435 as Per Factories Act 1948
6	Toluene	VEL/ENV/STP/111, Issue No.- 01, Issue	BLQ(LOQ-0.5)	mg/m ³	375 as Per

(Checked By) *[Signature]* 30/06/2023

(Approved By) *[Signature]*

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Page No. 2/2


Sample Number : VEL/WZ/02


Report No. : VEL/WZ/2306240002

S.No.	Test Parameters	Test Method	Results	Unit	Limits
6		date 01/11/2021			Factories Act 1948
7	Ozone (as O3)	VEL/ENV/STP/152, Issue No.- 01, Issue date 01/11/2021.	BLQ(LOQ-2.0)	mg/m3	0.2 as per Factories Act, 1948

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

End of Report


 (Checked By) 30/06/2023


 (Approved By)

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number : VEL/WZ/03
Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.
49th Km Stone, Khasra No. 122, Mathura Road, Village
- Prithia, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/WZ/2306240003
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 30/06/2023
Period of Analysis : 24/06/2023-30/06/2023
Receipt Date : 24/06/2023

Sample Description : Workzone Air Monitoring

General Information

Sampling Location : Liquid Plant
Sample Collected By : VEL Representative (Mr. Sher Singh)
Sampling Equipment used : Handy Sampler
Instrument Code : VEL/HS/03
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 22/06/2023
Time of Monitoring : 01:20 PM to 09:20 PM
Ambient Temperature (°C) : Min.30°C, Max.44°C
Surrounding Activity : Human & Others Activities
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS : 5182
Sampling Duration : 480.0
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Unit	Limits
1	Suspended Particulate Matter (as SPM)	VEL/ENV/STP/154, Issue No.-01, dated on 20/06/2022.	0.87	mg/m ³	15.0 as per OSHA
2	Sulphur Dioxide (as SO ₂)	VEL/ENV/STP/153, Issue No.-01, dated on 20/06/2022.	0.017	mg/m ³	5.0 as Per Factories Act 1948
3	Nitrogen Dioxide (as NO ₂)	VEL/ENV/STP/151, Issue No.-01, dated on 20/06/2022	0.034	mg/m ³	6.0 as Per Factories Act 1948
4	Carbon Monoxide (as CO)	VEL/ENV/STP/115, Issue No.- 01, Issue date 01/11/2021	1.74	mg/m ³	55 as Per Factories Act 1948
5	Xylene	VEL/ENV/STP/111, Issue No.- 01, Issue date 01/11/2021.	BLQ(LOQ-0.5)	mg/m ³	435 as Per Factories Act 1948
6	Toluene	VEL/ENV/STP/111, Issue No.- 01, Issue	BLQ(LOQ-0.5)	mg/m ³	375 as Per

(Checked By) *[Signature]* 30/06/2023

(Approved By) *[Signature]*

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Page No. 2/2


Sample Number : VEL/WZ/03

Report No. : VEL/WZ/2306240003

S.No.	Test Parameters	Test Method	Results	Unit	Limits
6		date 01/11/2021.			Factories Act 1948
7	Ozone (as O ₃)	VEL/ENV/STP/152, Issue No.- 01, Issue date 01/11/2021.	BLQ(LOQ-2.0)	mg/m ³	0.2 as per Factories Act, 1948

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

End of Report


(Checked By)


(Approved By)

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period.
- The report no. with Suffix A-Annexed Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Page No. 1/2

Sample Number : VEL/AP/10

Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.
49th Km Stone, Khasra No. 122, Mathura Road, Village
- Prithla, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/AP/2310180010

Format No : 7.8 F-03

Party Reference No : By Mail

Reporting Date : 25/10/2023

Period of Analysis : 18/10/2023-25/10/2023

Receipt Date : 18/10/2023

Name of Sample : Workzone Air Monitoring

Sample Group : Atmospheric Pollution

General Information

Sampling Location : Liquid Plant
Sample Collected By : VEL Representative (Mr. Dilver)
Sampling Equipment used : Handy Sampler
Instrument Code : VEL/HS/08
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 17/10/2023
Time of Monitoring : 11:30 AM to 07:30 PM
Ambient Temperature (°C) : 27.0
Surrounding Activity : Human & Others Activites
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS : 5182
Sampling Duration : 480.0 Min.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Unit	Limits
Discipline : Chemical					
1	Suspended Particulate Matter (as SPM)	IS:5182 (P-4) RA :2005	0.872	mg/m ³	15.0 as per OSHA
2	Sulphur Dioxide (as SO ₂)	IS:5182 (P-2) :2001	0.019	mg/m ³	5.0 as Per Factories Act 1948
3	Nitrogen Dioxide (as NO ₂)	IS:5182 (P-6) :2006	0.047	mg/m ³	6.0 as Per Factories Act 1948
4	Carbon Monoxide (as CO)	IS:5182 (P-10) :2003	1.75	mg/m ³	55 as Per Factories Act 1948
5	Xylene	IS:5182 (P-11) : 2006	BLQ(LOQ-0.5)	mg/m ³	435 as Per Factories Act 1948

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the sample tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number : VEL/AP/10

Report No. : VEL/AP/2310180010

S.No.	Test Parameters	Test Method	Results	Unit	Limits
6	Toluene	IS:5182 (P-11) : 2006	BLQ(LOQ-0.5)	mg/m ³	375 as Per Factories Act 1948
7	Ozone (as O3)	IS:5182 (P-09) colorimetric Method, RA:2003	BLQ(LOQ-2.0)	mg/m ³	0.2 as per Factories Act, 1948

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

End of Report



Reviewed By



Authorized Signatory

Gaurav
Pratap Singh

Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Page No. 1/2

Sample Number : VEL/AP/11
Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.
49th Km Stone, Khasra No. 122, Mathura Road, Village
- Prithla, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/AP/2310180011
Format No : 7.8 F-03
Party Reference No : By Mail
Reporting Date : 25/10/2023
Period of Analysis : 18/10/2023-25/10/2023
Receipt Date : 18/10/2023

Name of Sample : Workzone Air Monitoring
Sample Group : Atmospheric Pollution

General Information
Sampling Location : Dispatch Area
Sample Collected By : VEL Representative (Mr. Dilver)
Sampling Equipment used : Handy Sampler
Instrument Code : VEL/HS/09
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 17/10/2023
Time of Monitoring : 11:15 AM to 07:15 PM
Ambient Temperature (°C) : 28.0
Surrounding Activity : Human & Others Activites
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS : 5182
Sampling Duration : 480.0 Min.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Unit	Limits
Discipline : Chemical					
1	Suspended Particulate Matter (as SPM)	IS:5182 (P-4) RA :2005	0.692	mg/m ³	15.0 as per OSHA
2	Sulphur Dioxide (as SO ₂)	IS:5182 (P-2) :2001	0.021	mg/m ³	5.0 as Per Factories Act 1948
3	Nitrogen Dioxide (as NO ₂)	IS:5182 (P-6) :2006	0.035	mg/m ³	6.0 as Per Factories Act 1948
4	Carbon Monoxide (as CO)	IS:5182 (P-10) :2003	1.47	mg/m ³	55 as Per Factories Act 1948
5	Xylene	IS:5182 (P-11) : 2006	BLQ(LOQ-0.5)	mg/m ³	435 as Per Factories Act 1948

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Page No. 2/2

Sample Number : VEL/AP/11

Report No. : VEL/AP/2310180011

S.No.	Test Parameters	Test Method	Results	Unit	Limits
6	Toluene	IS:5182 (P-11) : 2006	BLQ(LOQ-0.5)	mg/m ³	375 as Per Factories Act 1948
7	Ozone (as O3)	IS:5182 (P-09) colorimetric Method, RA:2003	BLQ(LOQ-2.0)	mg/m ³	0.2 as per Factories Act, 1948

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

End of Report



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Page No. 1/2

Sample Number : VEL/AP/12

Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.
49th Km Stone, Khasra No. 122, Mathura Road, Village
- Prithla, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/AP/2310180012

Format No : 7.8 F-03

Party Reference No : By Mail

Reporting Date : 25/10/2023

Period of Analysis : 18/10/2023-25/10/2023

Receipt Date : 18/10/2023

Name of Sample : Workzone Air Monitoring


Sample Group : Atmospheric Pollution

General Information

Sampling Location : Sledge Area
Sample Collected By : VEL Representative (Mr. Dilver)
Sampling Equipment used : Handy Sampler
Instrument Code : VEL/HS/10
Instrument Calibration Status : Calibrated
Meteorological condition during monitoring : Clear Sky
Date of Monitoring : 17/10/2023
Time of Monitoring : 11:00 PM to 07:00 PM
Ambient Temperature (°C) : 28.0
Surrounding Activity : Human & Others Activite
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS : 5182
Sampling Duration : 480.0 Min.
Parameter Required : As per work order

S.No.	Test Parameters	Test Method	Results	Unit	Limits
Discipline : Chemical					
1	Suspended Particulate Matter (as SPM)	IS:5182 (P-4) RA :2005	0.717	mg/m ³	15.0 as per OSHA
2	Sulphur Dioxide (as SO ₂)	IS:5182 (P-2) :2001	0.022	mg/m ³	5.0 as Per Factories Act 1948
3	Nitrogen Dioxide (as NO ₂)	IS:5182 (P-6) :2006	0.038	mg/m ³	6.0 as Per Factories Act 1948
4	Carbon Monoxide (as CO)	IS:5182 (P-10) :2003	1.81	mg/m ³	55 as Per Factories Act 1948
5	Xylene	IS:5182 (P-11) : 2006	BLQ(LOQ-0.5)	mg/m ³	435 as Per Factories Act 1948

Reviewed By



Authorized Signatory



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.





Test Report

Sample Number : VEL/AP/12

Report No. : VEL/AP/2310180012

S.No.	Test Parameters	Test Method	Results	Unit	Limits
6	Toluene	IS:5182 (P-11) : 2006	BLQ(LOQ-0.5)	mg/m ³	375 as Per Factories Act 1948
7	Ozone (as O3)	IS:5182 (P-09) colorimetric Method, RA:2003	BLQ(LOQ-2.0)	mg/m ³	0.2 as per Factories Act, 1948

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

End of Report



Terms & Conditions

- The results reported relate only to the samples tested. In case sample is not drawn the results apply to the sample as received.
- This test report in full or in part, shall not be reproduced in any court of law without prior written approval of the laboratory.
- To confirm the authenticity of this certificate of analysis, please contact us through email at lab@vardan.co.in
- Laboratory is not responsible for the authenticity of photocopied test report. The test samples will be retained only for specific period
- The report no. with Suffix A-Amended Report.
- This test report will not be used for publicity or advertising or media purpose without prior written permission on the laboratory.
- Giving opinions does not imply endorsement of the tested sample by the lab. Under no circumstances, the lab accepts any liability caused by the use or misuse of the test report.

