



## Test Report


Sample Number : VEL/WW/01  
Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.  
49th Km Stone, Khasra No. 122, Mathura Road, Village  
- Prithla, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/WW/2209140001  
Format No : 7.8 F-03  
Party Reference No : MIPPL/PRITHLA/ENV/2022-23-  
Reporting Date : 19/09/2022  
Period of Analysis : 14/09/2022-19/09/2022  
Receipt Date : 14/09/2022  
Sampling Date : 13/09/2022  
Sampling Quantity : 2.0 Ltrs.  
Sampling Type : Grab

Sample Description : Waste Water (ETP Inlet)  
Location : ETP Plant  
Sample Collected By : VEL Representative (Mr. Priyanshu)  
Environmental Condition : OK  
Sampling and Analysis Protocol : APHA & IS

S.No.	Test Parameters	Test Method	Result	Unit
1	pH	APHA 4500 H+B Electrometric Method:2017	9.50	--
2	Total Suspended Solids,max	APHA 2540 D Gravimetric Method	175.00	mg/l
3	Oil & Grease,max	APHA 5520 B Partition Gravimetric Method:2017	2.70	mg/l
4	BOD (5 days @ 20°C),max	APHA 5210 C Ultimate BOD Test:2017	514.00	mg/l
5	COD, max	APHA 5220 B Open Reflux Method:2017	1276.00	mg/l

\*\*\*End of Report\*\*\*





## Test Report

**Sample Number :** VEL/WWW/02  
**Name & Address of the Party :** M/s Maharani Innovative Paints Pvt. Ltd.  
49th Km Stone, Khasra No. 122, Mathura Road, Village  
- Prithla, Dist - Palwal, Haryana (Haryana)

**Report No. :** VEL/WWW/2209140002  
**Format No :** 7.8 F-03  
**Party Reference No :** MIPPL/PRITHLA/ENV/2022-23-  
**Reporting Date :** 19/09/2022  
**Period of Analysis :** 14/09/2022-19/09/2022  
**Receipt Date :** 14/09/2022  
**Sampling Date :** 13/09/2022  
**Sampling Quantity :** 2.0 Ltrs.  
**Sampling Type :** Grab

**Sample Description :** Waste Water (ETP Outlet)  
**Location :** ETP Plant  
**Sample Collected By :** VEL Representative (Mr. Priyanshu)  
**Environmental Condition :** OK  
**Parameter Required :** As per work order  
**Analysis Protocol :** APHA & IS

S.No.	Test Parameters	Test Method	Result	Unit	Limits as per EPA (Sche.-VI)		
					Inland Surface Water	Public Sewers	Land for Irrigation
1	pH	APHA 4500 H+B Electrometric Method:2017	7.10	--	5.5 - 9.0	5.5 - 9.0	5.5 - 9.0
2	Total Suspended Solids,max	APHA 2540 D Gravimetric Method	39.0	mg/l	100.0	600.0	200.0
3	Oil & Grease,max	APHA 5520 B Partition Gravimetric Method:2017	0.50	mg/l	10.0	20.0	10.0
4	BOD (5 days @ 20°C),max	APHA 5210 C Ultimate BOD Test:2017	29.0	mg/l	30.0	350.0	100.0
5	COD, max	APHA 5220 B Open Reflux Method:2017	189.00	mg/l	250.0	--	--

\*\*\*End of Report\*\*\*





## Test Report

Sample Number : VEL/WWW/03

Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.  
49th Km Stone, Khasra No. 122, Mathura Road, Village  
- Prithla, Dist - Palwal, Haryana (Haryana)

Report No. : VEL/WWW/2209140003

Format No : 7.8 F-03

Party Reference No : MIPPL/PRITHLA/ENV/2022-23-

Reporting Date : 19/09/2022

Period of Analysis : 14/09/2022-19/09/2022

Receipt Date : 14/09/2022

Sampling Date : 13/09/2022

Sampling Quantity : 2.0 Ltrs.

Sampling Type : Grab

Sample Description : Waste Water (STP Outlet)  
Location : STP Plant  
Sample Collected By : VEL Representative (Mr. Priyanshu)  
Environmental Condition : OK  
Parameter Required : As per work order  
Analysis Protocol : APHA & IS

S.No.	Test Parameters	Test Method	Result	Unit	Limits as per EPA (Sche.-VI)		
					Inland Surface Water	Public Sewers	Land for Irrigation
1	pH	APHA 4500 H+B Electrometric Method:2017	7.60	--	5.5 - 9.0	5.5 - 9.0	5.5 - 9.0
2	Total Suspended Solids,max	APHA 2540 D Gravimetric Method	18.0	mg/l	100.0	600.0	200.0
3	Oil & Grease,max	APHA 5520 B Partition Gravimetric Method:2017	0.45	mg/l	10.0	20.0	10.0
4	BOD (5 days @ 20°C),max	APHA 5210 C Ultimate BOD Test:2017	23.0	mg/l	30.0	350.0	100.0
5	COD, max	APHA 5220 B Open Reflux Method:2017	99.0	mg/l	250.0	--	--

\*\*\*End of Report\*\*\*







## Test Report


**Sample Number :** VEL/WW/02  
**Name & Address of the Party :** M/s Maharani Innovative Paints Pvt. Ltd.  
 49th Km Stone, Khasra No. 122, Mathura Road, Village - Prithla, Distt - Palwal, (Haryana) (Haryana)

**Report No. :** VEL/WW/2206201009  
**Format No :** 7.8 F-03  
**Party Reference No :** MIPPL/PRITHLA/ENV/2022-23-  
**Reporting Date :** 29/06/2022  
**Period of Analysis :** 20/06/2022-29/06/2022  
**Receipt Date :** 20/06/2022  
**Sampling Date :** 18/06/2022  
**Sampling Quantity :** 2.0 Ltrs.  
**Sampling Type :** Grab

**Sample Description :** Waste Water (ETP Inlet)  
**Location :** ETP Plant  
**Sample Collected By :** VEL Representative (Mr. Sudhir)  
**Environmental Condition :** OK  
**Sampling and Analysis Protocol :** APHA & IS

S.No.	Test Parameters	Test Method	Result	Unit
1	pH	APHA 4500 H+B Electrometric Method:2017	8.02	--
2	Total Suspended Solids, max.	APHA 2540 D Gravimetric Method	111.20	mg/l
3	Oil & Grease, Max.	APHA 5520 B Partition Gravimetric Method:2017	2.80	mg/l
4	BOD (5 days @ 20°C) max.	APHA 5210 C Ultimate BOD Test:2017	390.0	mg/l
5	COD, Max.	APHA 5220 B Open Reflux Method:2017	1267.0	mg/l

\*\*\*End of Report\*\*\*







## Test Report

**Sample Number :** VEL/WW/03  
**Name & Address of the Party :** M/s Maharani Innovative Paints Pvt. Ltd.  
 49th Km Stone, Khasra No. 122, Mathura Road, Village  
 - Prithla, Distt - Palwal, (Haryana) (Haryana)  
**Sample Description :** Waste Water (ETP Outlet)  
**Location :** ETP Plant  
**Sample Collected By :** VEL Representative (Mr. Sudhir)  
**Environmental Condition :** OK  
**Parameter Required :** As per work order  
**Analysis Protocol :** APHA & IS

**Report No. :** VEL/WW/2206201010  
**Format No :** 7.8 F-03  
**Party Reference No :** MIPPL/PRITHLA/ENV/2022-23-  
**Reporting Date :** 29/08/2022  
**Period of Analysis :** 20/06/2022-29/06/2022  
**Receipt Date :** 20/06/2022  
**Sampling Date :** 18/06/2022  
**Sampling Quantity :** 2.0 Ltrs.  
**Sampling Type :** Grab

S.No.	Test Parameters	Test Method	Result	Unit	Limits as Per EPA (Sche.-VI)		
					Inland Surface Water	Public Sewers	Land for Irrigation
1	pH	APHA 4500 H+B Electrometric Method:2017	7.98	--	5.5 - 9.0	5.5 - 9.0	5.5 - 9.0
2	Total Suspended Solids, max.	APHA 2540 D Gravimetric Method	12.30	mg/l	100.0	600.0	200.0
3	Oil & Grease, Max.	APHA 5520 B Partition Gravimetric Method:2017	BLQ(LOQ-0.4)	mg/l	10.0	20.0	10.0
4	BOD (5 days @ 20°C) max.	APHA 5210 C Ultimate BOD Test:2017	9.5	mg/l	30.0	350.0	100.0
5	COD, Max.	APHA 5220 B Open Reflux Method:2017	41.0	mg/l	250.0	--	--

Note:-The submitted sample have above mentioned analytical characteristics ,conforms to EPA (Sche.VI)

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

\*\*\*End of Report\*\*\*







## Test Report

Sample Number : VEL/WW/01

Name & Address of the Party : M/s Maharani Innovative Paints Pvt. Ltd.  
49th Km Stone, Khasra No. 122, Mathura Road, Village  
- Prithla, Distt - Palwal. (Haryana) (Haryana)

Report No. : VEL/WW/2206201011  
Format No : 7.8 F-03  
Party Reference No : MIPPL/PRITHLA/ENV/2022-23-  
Reporting Date : 29/06/2022  
Period of Analysis : 20/06/2022-29/06/2022  
Receipt Date : 20/06/2022  
Sampling Date : 18/06/2022  
Sampling Quantity : 2.0 Ltrs.  
Sampling Type : Grab

Sample Description : Waste Water (STP Outlet)

Location : STP Plant

Sample Collected By : VEL Representative (Mr. Sudhir)

Environmental Condition : OK

Parameter Required : As per work order

Analysis Protocol : APHA & IS

S.No.	Test Parameters	Test Method	Result	Unit	Limits as Per EPA (Sche.-VI)		
					Inland Surface Water	Public Sewers	Land for Irrigation
1	pH	APHA 4500 H+B Electrometric Method:2017	7.52	--	5.5 - 9.0	5.5 - 9.0	5.5 - 9.0
2	Total Suspended Solids, max.	APHA 2540 D Gravimetric Method	19.0	mg/l	100.0	600.0	200.0
3	Oil & Grease, Max.	APHA 5520 B Partition Gravimetric Method:2017	BLQ(LOQ-0.4)	mg/l	10.0	20.0	10.0
4	BOD (5 days @ 20°C) max.	APHA 5210 C Ultimate BOD Test:2017	26.0	mg/l	30.0	350.0	100.0
5	COD, Max.	APHA 5220 B Open Reflux Method:2017	122.0	mg/l	250.0	--	--

Note:-The submitted sample have above mentioned analytical characteristics ,conforms to EPA (Sche-VI)

BLQ-Below Limit of Quantification, LOQ-Limit of Quantification.

\*\*\*End of Report\*\*\*

